

1.	Firm Name :	
2.		
		Fax
	Email	
3.	Responsible Person	
	Position	
	Telephone	Mobile Fax:
	Email:	
4.	Firm Registration No	. Registered Office
5.	PAN/VAT Registration No	

- 6. Business Type/ Purpose :....
- 7. Financial Situation of Last three Years. (Attach Audited report of three years) Information from Balance sheet

Fiscal Year	1	2	3
Total Assets			
Total Liabilities	and the second		
Net Worth	• • • •	1. en 1.	
Current Assets		rtulti i	Line line
Current Liabilities		-	Parts Large

Information from Income Statement

Fiscal Year	1	2	3
Total Revenues			
Profit Before Tax			
Profit After Tax			





Financial Resources (Add if required)

No.	Source of Financing	Amount
1		
2		

Note - The letter from the bank must be unconditional

8. Human Resource Capability

S.N.	Name	Position	Qualification (Must submit certificate copy)*	Experience (Year)
		Manager	Ling Balt	
artairja S	Δ	Account/Sales/ Marketing	· · · · · · · · · · · · · · · · · · ·	
		Engineer/Sub Engg/Mechanics		

*Attach C.V. & certificate otherwise will not be considered for evaluation.

9. Rate and details of the Equipment's that the firm can supply as of annex-1 (Attach the relevant catalogs, specifications etc.)

Brief Specification of Equipments

S	.N.	Name of the equipments	Brand	Model	Power, HP		AT & Tax)	Free Spare Parts	No. of Free servicing
						Rate in figures	Rate in words	including Tool Box	after sales
-									
-								-1	





10. Availability of Equipments that the firm can supply (For One FY)

S.N.	Name of the equipments	Brand	Model	Available in stock (N0s)	Quantity that can be supplied in one FY	Rate in figures	Total Amount (NRs)*

*Please submit deposit voucher or bank guarantee of 2.5% of the Total Amount (NRs.) that the firm can supply in one FY. If not submitted the firm will not be eligible for evaluation.

11. Availabilities of Spare Parts (Attach separate sheet if required)

S.N.	Parts Name	Quantity	Unit Rate in figures	Amount
			V-Crustenstone	
2	- Alexandra A			

Total Spare Parts available in NRs.....(must be quoted for evaluation purpose)

12. Dealer, Branches and Distributes in the country

S.No.	Name	Address	Contact person	Email	Telephone	Mobile
		salah Bernoldak		-	door s looned	currents and

Submit copy of dealership agreement with firm registration, PAN or VAT registration otherwise will not be considered for evaluation.





13. Service Centers

S.N	Name	District	Types of services Available (Address	Contact Person	Email	Telephone	Mobile
			Routing/Regular/ Engine Overhaul)				- Alakar .	
	Section of a section							

Submit copy of dealership agreement with firm registration, PAN or VAT registration otherwise will not be considered for evaluation.

14. Professional Experiences

15. Specific Experience (Please submit supporting documents)

I hereby declare that the above submitted information are true and correct based on relevant documents and our knowledge and we are not ineligible to participate in the expression of interest, has no conflict of interest in the proposed procurement proceedings and has not been punished for the profession or business related offence.

	(Signature of Authorized P	erson)
Office stamp	Name	
	Position	
		· ·
	Polog and the	
	F31010 10201	



Technical Specification of Tractor Operated Paddy Thresher

S.	Criteria	Required Technical Specifications	Offered
N.			Specifications
	Second Base /	Tractor P.T.O operated paddy thresher	Make:
1.	General		Model: Mfg. Year:
		suitable for terai land condition of Nepal	Country of Origin:
		Above 1200 kg per hour, threshing	Country of Origin.
		efficiency 97% or above, overall grain	
2.	Capacity & characteristics	loss% less than 2.5, broken grain loss less	
		than 0.8%, blown grain less than 1.5%	
3.	Matching power source	35 hp and above Tractor	
4.	Crop Feeding Mode	DIRECT hopper	
		670×595mm (Outer dim.) and 680 mm	
5.	Feeding hopper (±2%)	depth	
		Cylindrical Rotor type(Pegs 50-60 in	
6	Threshing cylinder	number bolted on U shaped channel,	
		diameter of drum 590-620 mm)	
-	Clearance between threshing drum	35-40 mm	
7	and half round concave		
0	Turning speed of threshing cylinder	750-800 RPM	
8	shaft		
9	Sieves	Oscillating perforated sieve, Minimum 2	
9	Sieves	number	
10	Size of holes in sieves	10-12mm (upper), 1.5-2 mm (lower)	
		Grain cleaning Aspiratory type fan one	
11	Cleaning fan	number and straw blower of centrifugal	
	Same and Man	type, dust cleaning fan	
12	Overall Dimension (±5%)	10 x4x7 feet (excluding hitching	
12		point)	
13	Hopper height from Platform	930-945 mm.	
14	Weight (Approx.)	1300-1500 Kg	
15	Re cleaning mechanism	Standard	
16	Feeding platform	Standard	
			-
17	Hitching, transportation wheels,	Standard	77
	frames	2	
18	Safety cover	Standard	s
20	Standard Accessories	As Per Need	
22	MS Sheet Thickness(Curved Part)	3 mm	
23	Main Shaft Diameter	Above 60 mm	

पगुख (दशो तह) प्रमुख (दशो तह)



24	No. of Transmission Joints	4
25	Test report	Authorized test report
26	Delivery Place	The PADDY THRESHERshould be delivered to:Agriculture Knowledge CenterKalaiya (Bara)Province No. 2,Nepal

Signature of Supplier..... Date..... Office Stamp

